

Hydroxyurea Exposure Limiting Pregnancy and Follow-Up Lactation

Status: RECRUITING

Eligibility Criteria

Sex: ALL

Age:

Healthy Volunteers: This study is NOT accepting healthy volunteers

Inclusion Criteria:

- Medical records or data available from previous clinical care prior to June 20, 2019 of pregnant females with SCD, including women who miscarried, had a still birth, or completed labor at any gestational stage, with any hydroxyurea exposure during either pregnancy and/or while breastfeeding.
- Medical records or data available from previous clinical care prior to June 20, 2019 about pregnancy and breastfeeding outcomes, both for babies with hydroxyurea exposure and other babies by these same women.

Exclusion Criteria:

- Unavailable medical records or lack of information about hydroxyurea exposure.

Conditions & Interventions

Interventions:

OTHER: Chart Review, OTHER: Survey

Conditions:

Sickle Cell Disease, Sickle Cell Anemia

Keywords:

Hydroxyurea

More Information

Description:

The purpose of this research study is to document and understand the effects of hydroxyurea exposure for women with SCD and their babies, during both gestation and lactation.

Contact(s): Teresa Latham - Teresa.Latham@cchmc.org

Principal Investigator:

Principal Investigator ID:

Phase:

IRB Number:

System ID: NCT04093986

Thank you for choosing StudyFinder. Please visit <http://studyfinder.cchmc.org> to find a Study which is right for you and contact clinicalstudies@cchmc.org if you have questions or need assistance.